



Hughes Dental Laboratory

Sykes Grove, Harrogate HG1 2DB

☎ 01423 520368
✉ info@hughesdental.co.uk
💻 hughesdental.co.uk

📘 Jonathan Hughes
🐦 @HughesDentalUK
📺 /HughesDentalUK



CROWN AND BRIDGE

Dentist:

Address:

.....

Tel:

Patient:


m **f**

DOB:

Photos sent **y / n**



Shade notes:



Characterization notes:

Full Ridge
 Ridge Lap
 No contact
 Point Contact
 Socketed

Pontic design notes:

Restoration:

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Date Required

/ /

For Lab use only Case No Approved for manufacture by: Approved for release by:



MHRA REF: CA016517
 YOUR ATTENTION IS DRAWN TO THE FOLLOWING: HOWEVER THIS STATEMENT DOES NOT APPLY TO PPE MOUTHGUARDS OR REPAIRS.
 This custom made dental appliance has been manufactured to satisfy the properties, features, characteristics and attributes specified by the client for the above patient. This dental appliance is limited to be used exclusively by this patient and conforms to the relevant requirements in Annex 1 of the Medical Devices Directive.
 INSTRUCTIONS FOR USE, HANDLING AND STORAGE
 It is recommended that before use this dental appliance is stored in a safe and clean environment, preventing it coming into contact with equipment, materials, acids, alkalis or bleaches that may cause chemical or physical damage to the appliance. This dental appliance should not be exposed to extremes of temperature whilst being stored. Where applicable care should be taken when removing the dental appliance from the model.
 THIS DENTAL APPLIANCE IS SUPPLIED UNSTERILIZED